EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	yoshikawa-naohiro.in.	US-PGPUB; USPAT	AND	ON	2008/05/08 10:56
L2	28	(sens\$4 with humidity with temperature with heating with cooling). clm.	US-PGPUB; USPAT	AND	ON	2008/05/08 10:59
L3	46	(sens\$4 with humidity with temperature with heat\$4 with cool\$4).clm.	US-PGPUB; USPAT	AND	ON	2008/05/08 10:59
L4	0	(print\$4 with sensing with humidity with temperature with heating with cooling).	US-PGPUB; USPAT	AND	ON	2008/05/08 11:01
L5	10	(sensing with humidity with temperature with heating with cooling). clm.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:01
L6	0	(printing with sensing with humidity with temperature with calibration).clm.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:02
L7	1	(printing with sensing with temperature with calibration).clm.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:03
L8	3334	"358".clas. and calibrat \$4	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L9	120	"358".clas. and calibrat \$4 same environmental	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L10	90	"358".clas. and calibrat \$4 same (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L11	2	"358".clas. and calibrat \$4 same (temperature and humidity) same heater	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04

L12	20	("4381553" "5048078" "5220674" "5305057" "5333069" "5471313" "5495542" "5559933" "5566372" "5572632" "5579090" "5611046" "5712930" "5739841" "5768483" "5818501" "5862326" "5872895" "5923834" "5923834" "5933676").PN. OR ("7099025").URPN.	US-PGPUB; USPAT; USOCR	AND	00 00	2008/05/08 11:04
L13	2	(printer or scanner or fax or facsimile or copier) and (temperature and humidity) same (self \$1adjust\$4 or self adj adjust\$4)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L14	0	"358".clas. and adjust near4 (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L15	175	"358".clas. and adjust near4 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L16	56	"358".clas. and adjust near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L17	245	"358".clas. and adjust\$6 near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L18	168	"358".clas. and adjust\$6 near (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L19	13	"358".clas. and calibrat \$4 near server	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L20	7183	(copier or printer or (image adj forming)) near7 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or printjob or print\$1job or data or document)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L21	2730	709/201.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L22	606	(347/17,18,189).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/08 11:04

L23	36	L20 and (L21 or L22)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L24	1669	L20 and 358/1.15.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L25	5128	(copier or printer or (image adj forming)) near4 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or print\$1job or data or document)	US-PGPUB; USPAT	AND		2008/05/08 11:04
L26	1253	L25 and 358/1.15.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L27	32	L25 and 358/1.15.ccls. and calibrat\$5	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L28	2	("5471282" "6185007"). PN. OR ("7139087"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/08 11:04
L29	2	2002/0149799	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L30	0	2002/00149799	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L31	0	2002/000149799	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L32	2	"20020149799"	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L33	3334	"358".clas. and calibrat \$5	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L34	44603	"358".clas. or (347/17 or 347/18 or 347/189).ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L35	151	L34 and (temperature near4 sensor) and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L36	42	L34 and (temperature near4 sensor) and (humidity near4 sensor) and calibrat\$4	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L37	0	L34 and (temperature near4 sensor) and (humidity near4 sensor) same humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L38	0	L34 and (temperature near4 sensor) and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04

L39	0	L34 and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L40	5	L34 and humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L41	1	L34 and dehumidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L42	259	L34 and (temperature near4 sensor) same heater	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L43	15	L34 and (temperature near4 sensor) same heater and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L44	3334	"358".clas. and calibrat \$4	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L45	120	"358".clas. and calibrat \$4 same environmental	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L46	90	"358".clas. and calibrat \$4 same (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L47	2	"358".clas. and calibrat \$4 same (temperature and humidity) same heater	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L48	20	("4381553" "5048078" "5220674" "5305057" "5333069" "5471313" "5495542" "5559933" "5566372" "5572632" "5579090" "5611046" "5712930" "5739841" "5768483" "5818501" "5862326" "5872895" "5923834" "5933676").PN. OR ("7099025").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/08 11:04
L49	2	(printer or scanner or fax or facsimile or copier) and (temperature and humidity) same (self \$1adjust\$4 or self adjadjust\$4)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L50	0	"358".clas. and adjust near4 (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L51	175	"358".clas. and adjust near4 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04

L52	56	"358".clas. and adjust near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L53	245	"358".clas. and adjust\$6 near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L54	168	"358".clas. and adjust\$6 near (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L55	13	"358".clas. and calibrat \$4 near server	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L56	7183	(copier or printer or (image adj forming)) near7 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or printjob or print\$1job or data or document)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L57	2730	709/201.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L58	606	(347/17,18,189).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/08 11:04
L59	36	L56 and (L57 or L58)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L60	1669	L56 and 358/1.15.cds.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L61	5128	(copier or printer or (image adj forming)) near4 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or printjob or print\$1job or data or document)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L62	1253	L61 and 358/1.15.cds.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L63	32	L61 and 358/1.15.ccls. and calibrat\$5	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L64	2	("5471282" "6185007"). PN. OR ("7139087"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/08 11:04
L65	2	2002/0149799	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L66	0	2002/00149799	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04

L67	0	2002/000149799	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L68	2	"20020149799"	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L69	3334	"358".clas. and calibrat \$5	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L70	44603	"358".clas. or (347/17 or 347/18 or 347/189).ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L71	151	L70 and (temperature near4 sensor) and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L72	42	L70 and (temperature near4 sensor) and (humidity near4 sensor) and calibrat\$4	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L73	0	L70 and (temperature near4 sensor) and (humidity near4 sensor) same humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L74	0	L70 and (temperature near4 sensor) and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L75	0	L70 and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L76	5	L70 and humidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L77	1	L70 and dehumidifier	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L78	259	L70 and (temperature near4 sensor) same heater	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L79	15	L70 and (temperature near4 sensor) same heater and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2008/05/08 11:04
L80	814	358/406.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:13
L81	1043	358/504.ccls.	US-PGPUB; USPAT	AND	ON	2008/05/08 11:14
S1	3036	"358".clas. and calibrat \$4	US-PGPUB; USPAT	AND	ON	2007/07/24 15:14
S2	108	"358".clas. and calibrat \$4 same environmental	US-PGPUB; USPAT	AND	ON	2007/07/23 13:14

S3	82	"358".clas. and calibrat \$4 same (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:34
S4	2	"358".clas. and calibrat \$4 same (temperature and humidity) same heater	US-PGPUB; USPAT	AND	MON	2007/07/23 13:20
\$5	20	("4381553" "5048078" "5220674" "5305057" "5333069" "5471313" "5495542" "5559933" "5566372" "5572632" "5579090" "5611046" "5712930" "5739841" "5768483" "5818501" "5862326" "5872895" "5923834" "5933676").PN. OR ("7099025").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/23 13:19
S 6	2	(printer or scanner or fax or facsimile or copier) and (temperature and humidity) same (self \$1adjust\$4 or self adj adjust\$4)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:22
S7	0	"358".clas. and adjust near4 (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:34
S8	144	"358".clas. and adjust near4 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:34
S9	49	"358".clas. and adjust near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:34
S10	228	"358".clas. and adjust\$6 near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:35
S11	158	"358".clas. and adjust\$6 near (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2007/07/23 13:45
S12	11	"358".clas. and calibrat \$4 near server	US-PGPUB; USPAT	AND	ON	2007/07/23 14:23

S13	6386	(copier or printer or (image adj forming)) near7 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or printjob or print\$1job or data or document)	US-PGPUB; USPAT	AND	ON	2007/07/23 18:42
S14	2459	709/201.ccls.	US-PGPUB; USPAT	AND	ON	2007/07/23 14:28
S15	560	(347/17,18,189).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/07/23 14:28
S16	28	S13 and (S14 or S15)	US-PGPUB; USPAT	AND	ON	2007/07/23 18:42
S17	1464	S13 and 358/1.15.ccls.	US-PGPUB; USPAT	AND	ON	2007/07/23 18:43
S18	4570	(copier or printer or (image adj forming)) near4 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or print\$1job or data or document)	US-PGPUB; USPAT	AND	ON	2007/07/23 18:42
S19	1098	S18 and 358/1.15.ccls.	US-PGPUB; USPAT	AND	ON	2007/07/23 18:43
S20	31	S18 and 358/1.15.ccls. and calibrat\$5	US-PGPUB; USPAT	AND	ON	2007/07/23 18:43
S21	2	("5471282" "6185007"). PN. OR ("7139087"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/24 12:15
S22	0	2002/0149799	US-PGPUB; USPAT	AND	ON	2007/07/24 13:13
S23	0	2002/00149799	US-PGPUB; USPAT	AND	ON	2007/07/24 13:13
S24	0	2002/000149799	US-PGPUB; USPAT	AND	ON	2007/07/24 13:13
S25	2	"20020149799"	US-PGPUB; USPAT	AND	ON	2007/07/24 13:13
S26	3036	"358".clas. and calibrat \$5	US-PGPUB; USPAT	AND	ON	2007/07/24 15:16
S27	40981	"358".clas. or (347/17 or 347/18 or 347/189).ccls.	US-PGPUB; USPAT	AND	ON	2007/07/24 15:17

S28	142	S27 and (temperature near4 sensor) and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2007/07/24 17:20
S29	38	S27 and (temperature near4 sensor) and (humidity near4 sensor) and calibrat\$4	US-PGPUB; USPAT	AND	ON	2007/07/24 17:17
S30	0	S27 and (temperature near4 sensor) and (humidity near4 sensor) same humidifier	US-PGPUB; USPAT	AND	ON	2007/07/24 17:18
S31	0	\$27 and (temperature near4 sensor) and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2007/07/24 17:20
S32	0	\$27 and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2007/07/24 17:18
S33	5	S27 and humidifier	US-PGPUB; USPAT	AND	ON	2007/07/24 17:19
S34	1	S27 and dehumidifier	US-PGPUB; USPAT	AND	ON	2007/07/24 17:19
S35	237	S27 and (temperature near4 sensor) same heater	US-PGPUB; USPAT	AND	ON	2007/07/24 17:20
S36	14	S27 and (temperature near4 sensor) same heater and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2007/07/24 17:20
S 37	3242	"358".clas. and calibrat \$4	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S38	116	"358".clas. and calibrat \$4 same environmental	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S39	88	"358".clas. and calibrat \$4 same (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S40	2	"358".clas. and calibrat \$4 same (temperature and humidity) same heater	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51

S41	20	("4381553" "5048078" "5220674" "5305057" "5333069" "5471313" "5495542" "5559933" "5566372" "5572632" "5579090" "5611046" "5712930" "5739841" "5768483" "5818501" "5862326" "5872895" "5923834" "5933676").PN. OR ("7099025").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/02/19 10:51
S42	2	(printer or scanner or fax or facsimile or copier) and (temperature and humidity) same (self \$1adjust\$4 or self adj adjust\$4)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S43	0	"358".clas. and adjust near4 (temperature and humidity)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S44	169	"358".clas. and adjust near4 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S45	54	"358".clas. and adjust near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S46	238	"358".clas. and adjust\$6 near2 (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S47	165	"358".clas. and adjust\$6 near (temperature or humidity)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S48	13	"358".clas. and calibrat \$4 near server	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S49	6991	(copier or printer or (image adj forming)) near7 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or printjob or print\$1job or data or document)	US-PGPUB; USPAT	AND		2008/02/19 10:51
S50	2647	709/201.ccls.	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S51	593	(347/17,18,189).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/19 10:51

S52	33	S49 and (S50 or S51)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S53	1622	S49 and 358/1.15.ccls.	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
ms554	4981	(copier or printer or (image adj forming)) near4 (copier or printer or (image adj forming)) with (process\$4 or transmit\$5) near2 (print adj job or print\$1job or data or document)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S55	1214	S54 and 358/1.15.ccls.	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S56	31	S54 and 358/1.15.ccls. and calibrat\$5	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S57	2	("5471282" "6185007"). PN. OR ("7139087"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/02/19 10:51
S58	2	2002/0149799	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S59	0	2002/00149799	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S60	0	2002/000149799	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S61	2	"20020149799"	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S62	3242	"358".clas. and calibrat \$5	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S63	43622	"358".clas. or (347/17 or 347/18 or 347/189).ccls.	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S64	149	S63 and (temperature near4 sensor) and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S65	42	S63 and (temperature near4 sensor) and (humidity near4 sensor) and calibrat\$4	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S66	0	S63 and (temperature near4 sensor) and (humidity near4 sensor) same humidifier	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S67	0	S63 and (temperature near4 sensor) and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51

S68	0	S63 and (humidity near4 sensor) and humidifier	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S69	5	S63 and humidifier	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S70	1	S63 and dehumidifier	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S71	251	S63 and (temperature near4 sensor) same heater	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51
S72	15	S63 and (temperature near4 sensor) same heater and (humidity near4 sensor)	US-PGPUB; USPAT	AND	ON	2008/02/19 10:51

5/8/2008 11:21:43 AM

C:\ Documents and Settings\ Ntyler\ My Documents\ EAST\ Workspaces\ 10777050.wsp